



A.T.C. DIŐ TİCARET DANIŐMANLIK TURİZM MEDYA YAYINCILIK PRODÜKSİYON LIMITED ŐİRKETİ

P.K...: 103 Karşıyaka – İzmir -Türkiye

TEL...: +90 232 7001 532 & +90 850 441 0 177 & + 90 533 77 77 0 77 FAX...: + 90 232 7002 975 & +90 850 441 0 227

E-MAIL...: atc@atc.org.tr & africa@africatradecenter.net WEB...: <http://www.atc.org.tr> & <http://www.africatradecenter.net>

CONTAINERIZED BLAST FREEZER

Mobile Shock 40HP

CAPACITY TABLE (approx.)

Freezing Time (hour)	Freezing Caps. Kg.	Bin 40x60 cm. Qty. 11kg/each
6 Hours	1.500 kg.	132 pcs.
8 Hours	2.000 kg.	176 pcs.
12 Hours	3.000 kg.	264 pcs.
16 Hours	4.000kg.	352 pcs.
20 Hours	5.000 kg.	439 pcs.
24 Hours	6.000 kg.	527 pcs.

BIN QTY. & DIMENSIONS

Case (bin) Dimensions	Loading Capacity First Floor (max.)	Loading Capacity Total (max.)
40x60x11 cm	28 pcs	392 pcs
Effective Loading Area	190cm x 469cm = ~ 9m2	



COOLING CYCLE



GENERAL VIEW




Unit Code	Mobile Shock 40HP
Cooling Capacity	29 kw.
Evaporation / Condensation	-40C / +40C
Refrigerant	R404a - R449a
Voltage	380V / 50Hz / 3Ph
Noise (within 6m)	85 dBA
Total Unit Weight	~ 4300 kg.
Suction Line	54 mm
Liquid Line	35 mm
Compressor	Semi Herm. Double Stage
Displacement	122,4 m3/h
Brand	Dorin
Power Input	25 kw.
Current	52 Amper
C.O.P.	1,15
Oil Charge	4,5 liter
Evaporator	
Real Capacity	30,6 kW
Surface	236,6 m2
Fans Qty x Diameter	4 x 630mm.
Fans Air Flow	11.000m3/h
Fans Total Air Flow/Pressure	44.000m3/h 330 Pascal
Defrosting	Electric Resistance
Fin Spacing	10 mm
Condenser	Air Cooled
Exchange Surface	261 m2
Fans Qty x Diameter	6 x 500mm.
Fans Total Air Flow	48.000m3/h
Electric Board	Included
Remote Control Panel	Eliwell Mycro Processor
Container	Special ISO
Door	100x180 Hinged
Sandwich Panels	Polyurethane - PVC+Poly
Floor Insulation	2mm Cr.Ni Covered Plywood
Dimensions :	



Product Description		Piece	Unit Price	Price
Container Mobile	MBF 30	1	€ 58,500.-	€ 58,500.-
Blast Freezer				

Temperature Range	+20/-40 °C	Product Inlet Temperature	+10 °C
Freezing Amount (8h)	2000 kg/8h	Freezing Amount (12h)	3000 kg/12h
Freezing Amount (24h)	6000 kg/24h	Product Type	Fish (Medium Size)
Effective Loading Area	190x485 cm	Cooling Capacity	29000 watt
Compressor Type	Double Stage Semi Hermetic	Compressor Power	40 HP
Compressor Electric Power	25 kw/h	Compressor Absorbed Current	52 Amp
Compressor Displacement	122,4 m3/h	Refrigerants	R404a - R449a
Door Type	Hinged Pvc+Pvc	Door Crossing Dimensions	110x180 cm
Insulation Type	Sandwich Panel	Panel Surface	PVC
Floor Surface Material	Plywood + 2mm Cr.Ni	Dimensions (WxLxh)	2200x8000x2450 mm.
Chassis	30ft Containerized (Spc)	Weight	4680 kg



Delivery Location	Ex Works (EXW) - Istanbul	Shipping Insurance	Buyer	Subtotal TAX %0 Grand Total	€ 58,500.- C&F €
Shipping	Excluded	Assembly	No		
Packing	Packed	Commissioning	Excluded		